## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20060075028".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 13:01
L2	1	"20060293956".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 13:01
L12	3	"7158778".pn. "6381636". pn. "20080037467".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 14:01
L13	1	"20060142035".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 14:06
L14	1	10/742151 and match\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 14:26
L15	5	"20070240005".pn. "20070106919".pn. "20060142035".pn. "20040214539".pn. "20070118742".pn. "20040214539".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 14:33
L16	1	"20090168650".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 15:12
S1	85	"6381636" "6532500" "6266721" "6332202" "6163849" "6073255"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:15
\$2	1	"20050165909"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/04 17:53

S3	10	("6003081"   "6189108"   "6263388"   "6266696"   "6282642").PN. OR ("6381636").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/05 13:52
S4	85	"6381636" "6532500" "6266721" "6332202" "6163849" "6073255"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 13:58
S5	16	S4 and ((access near2 point) hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:07
S6	5313	(Desktop near2 management near2 interface) (DMI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:08
S7	3722	(management near2 information near2 format) (MIF)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:36
S8	546780	gateway\$1 (access near2 point) hub\$1 router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:28
S9	2	(power near2 down) same (NIC) same S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:14
S10	57	(power near2 down) same (NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:14
S11	1	S10 and (S6 and S7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:14
S12	92	(S6 and S7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:14
S13	14457533	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:16

S14	39	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:17
S15	14	S14 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:18
S16	1177939	gateway\$1 (access near2 point) (AP) hub\$1 router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:23
S17	4806846	stor\$3 sav\$3 cach\$3 collect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 15:34
S18	1077	asset with (mobile cellular wireless near2 phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:32
S19	26	S16 same S17 same S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:34
S20	13	S19 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:35
S21	38	S16 same S17 same (S18 or S7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:34
S22	16	S21 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:46
S23	2564	S7 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:47
\$24	0	S23 and (S8 with S17 with S7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:48

S25	2	(S8 with S17 with S7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:49
S26	62	(S8 with S17) and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:52
S27	43	S26 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:50
S28	11	(S8 with S17 with request\$3) and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 15:27
S29	8	S28 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 14:52
S30	11	(S8 with S17 with (request\$3 quer\$3)) and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 15:27
\$31	3693	(S16 near10 S17) with (request query inquiry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 15:39
S32	134	S31 same transmit\$3 same (mobile cellular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 15:40
S33	84	S32 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:15
S34	878	gateway near10 stor\$3 near10 request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:15
S35	136	S34 same (mobile cellular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:16

S36	103	S35 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:16
S37	1186	prox\$3 with (poll\$3 quer\$4 request\$3) with (mobile cell \$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:30
S38	786	S37 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:26
S39	179937	prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:34
S40	116510	S39 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:34
S41	179934	prox\$3 (base near2 station) (point near5 presence) with S17 with (quer\$4 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:35
S42	116490	S40 and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:33
S43	117	S42 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:33
S44	10451	(prox\$3 (base near2 station) (point near5 presence)) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:34
S45	8057	S44 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:34
S46	5044	(prox\$3 (base near2 station) (point near5 presence)) with S17 with (quer\$4 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:36

S47	1232	S45 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:37
S48	0	S47 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/05 16:36
S49	2800	(access near2 point) near5 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:17
S50	14459067	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:16
S51	1862	S50 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:16
S52	62	(access near2 point) near5 stor\$3 near5 MAC near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 17:46
S53	28	S52 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 16:17
S54	0	("2004/0120279").URPN.	USPAT	OR	ON	2007/10/10 17:00
S55	1	"6982982"	USPAT	OR	ON	2007/10/10 17:00
S56	128	(access near2 point) near5 stor\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:09
S57	74	S56 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 17:49
S58	274188	power near2 consumption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:00

S59	4	S56 and S58 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 17:58
S60	303030	power near2 (consumption down)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:09
S61	10	S56 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:00
S62	4	S61 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:00
S63	0	("2004/0151147").URPN.	USPAT	OR	ON	2007/10/10 18:08
S64	2800	(access near2 point) near5 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:09
S65	308701	power\$2 near2 (consumption down)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/10 18:12
S66	219	S64 and S65 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/11 12:37
S67	1	"7158778".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/11 12:37
S68	10	("20020019215"   "20030103451"   "5504804"   "5570366"   "5654959"   "5991287"   "6091947"   "6463307"   "6507735"   "6687504").PN. OR ("7158778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 12:37
S69	2	("2002/0019215").URPN.	USPAT	OR	ON	2007/10/11 12:46

S70	11	WOL near2 process	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/11 16:30
S71	1976	455/412	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/11 16:31
S72	8704	709/227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/10/11 16:31
S73	1	"20050165909"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:51
S74	1	"6381636".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 16:51
S75	1	"20050165909" and forward	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/03/31 19:30
S76	1	"20050165909" and valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 12:39
S77	1	"6381636".pn. and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/01 12:46
S78	10	("6003081"   "6189108"   "6263388"   "6266696"   "6282642").PN. OR ("6381636").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 12:47
S79	7	"6684326".pn. "7003331". pn. "7082129".pn. "7146433".pn. "6925557". pn. "6687348".pn. "7185229".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 12:58
S80	2	S79 and "AP"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:02

S81	2	"20040002366"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:05
S82	2	"20040002366" and "AP'	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:06
S83	5	"20050036467" "20040077353" "20040081076" "20020101557" "20030086515"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:12
S84	5	"6532500".pn. "6266721". pn. "6332202".pn. "6163849".pn. "6073255". pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:14
S85	692768	(accsss near2 point) "AP"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:18
S86	115510	S85 same (database stor\$3 table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:18
S88	22573	S85 with (database stor\$3 table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:19
S89	2	S88 same (asset near2 information)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:19
S90	281066	access\$3 with information	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:22
S92	4836147	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:24
S94	19777	S90 and (power near2 (sav \$3 down off))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:24
S95	419	S92 and S94 and S88 and S90	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 13:25
S96	51247	(Access near2 point)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:09
S97	459	S96 with cach\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:09
S98	328	S97 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:09
S99	25	S96 with (cach\$3 with table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:10

S100	42	\$96 same (cach\$3 same (requested near2 (data content information)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:12
S101	34	S100 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:13
S102	19	S101 and (request near2 server)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 14:18
S103	1060	(Access near2 point) same (request\$2 near2 information)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:12
S104	677	S103 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:12
S105	142	S104 and (power near2 (sav \$3 down off))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:12
S106	1	"20050165909" and media	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:13
S107	127	(Access near2 point) same (request\$2 near2 information) same table	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:21
S108	1	(Access near2 point) same (request\$2 near2 information) same (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:23
S109	214	(Access near2 point) same (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:24
S110	130	(Access near2 point) with (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:24
S111	82	S110 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:24
S112	4	S110 and S92 and (stor\$3 near5 mobile near5 information)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:29
S113	178	((access near2 point) AP) same (stor\$3 near5 mobile near5 information)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:33
S114	89	S113 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:33
S115	51	((access near2 point) AP) same (stor\$3 near5 mobile near5 information) and (((access near2 point) AP) with table)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:35

S116	25	S115 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:37
S117	192	((access near2 point) AP) same (valid\$5) same (stor\$3 near5 data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:55
S118	99	S117 and S92	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 15:55
S119	6127	709/228,227.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 16:35
S120	428	periodic\$4 same (wake) same (power near2 (up down on off))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:45
S121	99	S120 and (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:45
S122	14561968	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:45
S123	71	S121 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:45
S124	9677	(stor\$3 request) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:48
S125	88	(stor\$3 near2 request) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:48
S126	0	S125 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:49
S127	6284	(stor\$3) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:49

S128	5	S127 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:49
S129	1685	periodic\$4 same (wake) same (power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 13:59
S130	3092	((stor\$3 buffer\$3) near2 (request\$1 message\$1 information data packets instruction)) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 14:01
S131	83	S129 and S130 aND S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 14:02
S132	83	S129 and S130 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 14:02
S133	4	10/264807 and periodic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 14:02
S134	0	"20030110239" and (software same (server apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 16:26
S135	0	"20030110239" and (software same (server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 16:26
S136	1	"20030110239" and ((software program) same (server apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 16:26
S137	1	"20050165909" and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 16:56
S138	1	"20050165909" and (software program carrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 16:57

S139	1	"20050165909" and product	US-PGPUB; USPAT;	OR	ON	2008/08/11 16:58
			USOCR; FPRS; EPO; JPO; IBM_TDB			
S140	1	"20050165909" and without	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 17:29
S141	1	"20080037467" and de \$energized	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/11 18:13
S142	612	wake\$up near2 timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:02
S143	14609814	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:02
S144	435	S143 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:03
S145	2168	713/324,323.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:04
S146	244	S144 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:04
S147	228	S146 and (network enar2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:08
S148	69	S146 and (network near2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:08
S149	3	S148 and S145	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:13

S150	2	S142 same (network near2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:15
S151	2	S150 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:15
S152	1210	713/324.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:16
S153	11	S152 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:16
S154	8	S153 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:16
S155	1609	455/574.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:22
S156	1125	S155 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:22
S157	22	S156 and S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:22
S158	1	"20040100394"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 16:25
S159	1	"20040100394"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/10 17:06
S160	111	"6381636" "6532500" "6266721" "6332202" "6163849" "6073255"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S161	1	"20050165909"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S162	12	("6003081"   "6189108"   "6263388"   "6266696"   "6282642").PN. OR ("6381636").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S163	111	"6381636" "6532500" "6266721" "6332202" "6163849" "6073255"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S164	19	S163 and ((access near2 point) hub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S165	6047	(Desktop near2 management near2 interface) (DMI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S166	4581	(management near2 information near2 format) (MIF)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S167	623642	gateway\$1 (access near2 point) hub\$1 router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S168	3	(power near2 down) same (NIC) same S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S169	72	(power near2 down) same (NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S170	1	S169 and (S165 and S166)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S171	106	(S165 and S166)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S172	14610324	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S173	42	S171 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S174	15	S173 and S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S175	1266466	gateway\$1 (access near2 point) (AP) hub\$1 router\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S176	5340864	stor\$3 sav\$3 cach\$3 collect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S177	1584	asset with (mobile cellular wireless near2 phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S178	44	S175 same S176 same S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S179	15	S178 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S180	58	S175 same S176 same (S177 or S166)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S181	19	S180 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S182	2929	S166 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S183	0	S182 and (S167 with S176 with S166)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S184	2	(S167 with S176 with S166)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S185	76	(S167 with S176) and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S186	49	S185 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S187	12	(S167 with S176 with request \$3) and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S188	9	S187 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S189	12	(S167 with S176 with (request\$3 quer\$3)) and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S190	4878	(S175 near10 S176) with (request query inquiry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S191	199	S190 same transmit\$3 same (mobile cellular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S192	104	S191 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S193	1134	gateway near10 stor\$3 near10 request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S194	183	S193 same (mobile cellular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S195	123	S194 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S196	1566	prox\$3 with (poll\$3 quer\$4 request\$3) with (mobile cell \$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S197	897	S196 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S198	218225	prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S199	126063	S198 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S200	218216	prox\$3 (base near2 station) (point near5 presence) with \$176 with (quer\$4 request \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S201	126037	S199 and \$200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S202	151	S201 and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S203	13097	(prox\$3 (base near2 station) (point near5 presence)) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S204	8707	S203 and S172	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S205	6545	(prox\$3 (base near2 station) (point near5 presence)) with \$176 with (quer\$4 request \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S206	1349	S204 and S205	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S207	0	S206 and S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S208	3806	(access near2 point) near5 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S209	14610324	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S210	2106	S209 and S208	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S211	89	(access near2 point) near5 stor\$3 near5 MAC near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S212	37	S211 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S213	0	("2004/0120279").URPN.	USPAT	OR	ON	2009/03/12 15:51
S214	4	"6982982"	USPAT	OR	ON	2009/03/12 15:51
S215	180	(access near2 point) near5 stor\$3 near5 request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$216	87	S215 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S217	322929	power near2 consumption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S218	6	S215 and S217 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S219	356206	power near2 (consumption down)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S220	17	S215 and S219	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S221	6	S220 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S222	0	("2004/0151147").URPN.	USPAT	OR	ON	2009/03/12 15:51
S223	3806	(access near2 point) near5 stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S224	363090	power\$2 near2 (consumption down)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S225	260	S223 and S224 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S226	1	"7158778".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S227	11	("20020019215"   "20030103451"   "5504804"   "5570366"   "5654959"   "5991287"   "6091947"   "6463307"   "6507735"   "6687504").PN. OR ("7158778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51

S228	2	("2002/0019215").URPN.	USPAT	OR	ON	2009/03/12 15:51
S229	15	WOL near2 process	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S230	2176	455/412	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S231	11354	709/227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S232	1	"20050165909"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S233	1	"6381636".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S234	1	"20050165909" and forward	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S235	1	"20050165909" and valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S236	1	"6381636".pn. and hub	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$237	12	("6003081"   "6189108"   "6263388"   "6266696"   "6282642").PN. OR ("6381636").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S238	7	"6684326".pn. "7003331". pn. "7082129".pn. "7146433".pn. "6925557". pn. "6687348".pn. "7185229".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S239	2	S238 and "AP"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51

S240	2	"20040002366"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S241	2	"20040002366" and "AP'	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S242	5	"20050036467" "20040077353" "20040081076" "20020101557" "20030086515"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S243	5	"6532500".pn. "6266721". pn. "6332202".pn. "6163849".pn. "6073255". pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S244	703309	(accsss near2 point) "AP"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S245	117967	S244 same (database stor\$3 table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S246	24036	S244 with (database stor\$3 table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S247	2	S246 same (asset near2 information)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S248	328807	access\$3 with information	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S249	4918880	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S250	23348	S248 and (power near2 (sav \$3 down off))	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S251	452	S249 and S250 and S246 and S248	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S252	62988	(Access near2 point)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
\$253	558	S252 with cach\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S254	347	S253 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S255	28	S252 with (cach\$3 with table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51

S256	48	\$252 same (cach\$3 same (requested near2 (data content information)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S257	34	S256 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S258	19	S257 and (request near2 server)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S259	1317	(Access near2 point) same (request\$2 near2 information)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S260	759	S259 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S261	158	\$260 and (power near2 (sav \$3 down off))	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S262	1	"20050165909" and media	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S263	155	(Access near2 point) same (request\$2 near2 information) same table	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S264	1	(Access near2 point) same (request\$2 near2 information) same (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S265	256	(Access near2 point) same (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S266	152	(Access near2 point) with (address near2 table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S267	90	S266 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S268	4	S266 and S249 and (stor\$3 near5 mobile near5 information)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S269	243	((access near2 point) AP) same (stor\$3 near5 mobile near5 information)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S270	109	S269 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S271	63	((access near2 point) AP) same (stor\$3 near5 mobile near5 information) and (((access near2 point) AP) with table)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51

S272	31	\$271 and \$249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S273	241	((access near2 point) AP) same (valid\$5) same (stor\$3 near5 data)	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S274	110	S273 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S275	7184	709/228,227.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/12 15:51
S276	472	periodic\$4 same (wake) same (power near2 (up down on off))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S277	107	S276 and (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S278	14610324	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$279	74	S277 and S278	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$280	10907	(stor\$3 request) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$281	97	(stor\$3 near2 request) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$282	0	S281 and S279	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S283	7096	(stor\$3) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S284	6	\$283 and \$279	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S285	1875	periodic\$4 same (wake) same (power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S286	3484	((stor\$3 buffer\$3) near2 (request\$1 message\$1 information data packets instruction)) with (access near2 point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S287	92	\$285 and \$286 aND \$278	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S288	92	S285 and S286 and S278	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S289	7	10/264807 and periodic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$290	0	"20030110239" and (software same (server apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S291	0	"20030110239" and (software same (server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S292	1	"20030110239" and ((software program) same (server apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S293	1	"20050165909" and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S294	1	"20050165909" and (software program carrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S295	1	"20050165909" and product	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S296	1	"20050165909" and without	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S297	1	"20080037467" and de \$energized	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S298	613	wake\$up near2 timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S299	14610324	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S300	435	S299 and S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S301	2169	713/324,323.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S302	244	S300 and (mobile wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S303	228	S302 and (network enar2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S304	69	S302 and (network near2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$305	3	S304 and S301	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51

S306	2	\$298 same (network near2 interface NIC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S307	2	S306 and S299	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S308	1210	713/324.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S309	11	\$308 and \$298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S310	8	S309 and S299	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S311	1610	455/574.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S312	1125	S311 and S299	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S313	22	S312 and S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
\$314	1	"20040100394"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S315	1	"20040100394"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:51
S316	1	"6381636".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/10/12 14:43

S317	1	10/147111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:17
S318	1	"6477605".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:18
S319	25	WOL and (access adj point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:18
S320	14674452	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:18
S321	5	S319 and S320	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:19
S322	259	NIC and power adj sav\$3 and (access adj point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:22
S323	90	S322 and S320	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 11:22
S324	1	10/742151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:14
S325	1	11/506383	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:14
S326	1	10/742151 and asset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:24
S327	1	"7324468".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:36

S328	14674452	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:55
S329	259	NIC and power adj sav\$3 and (access adj point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:55
S330	90	S329 and S328	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:55
S331	88	S329 and S328 and stor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 13:56
S332	90	S329 and S328 and (stor\$3 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 14:01
S333	1	"6961761".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 14:26
S334	1	"6961762".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 14:26
S335	3	"20010031626".pn. "200201326032".pn. "20040076136".pn. "20070162773".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:09
S336	0	"200201326032"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:10
S337	1	10/742151 and down	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:23
S338	1	10/742151 and periodic\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:26

S339	1	"20010031626".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 17:28
S340	1	"20040076136".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 17:30
S341	1	11/469058	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 11:20
S342	1	11/469058 and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 11:22
S343	1	"20090100347".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 14:02
S344	0	11/787478	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 14:13
S345	1	"5742905".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 15:21
S346	1	10/742151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 22:10
S347	1	"6381636".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:48
S348	0	"20020132603".pn. and <b>W</b> OL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:50
S349	1	"20020132603".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:50

S350	0	"6088337".pn. and WOL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:51
S351	0	"20040076136".pn. and WOL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:51
S352	0	"20070162773".pn. and WOL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:51
S353	3	"20070162773".pn. "20040076136". pn."6088337".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:52
S354	0	S353 and magic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:52
S355	1140	magic near2 number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:52
S356	0	S355 and WOL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:52
S357	59	S355 and MAC adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:53
S358	0	S357 and wake	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:54
S359	30	S357 and power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 23:54
S360	1	"7324468".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 00:01

S361	281	wake-on-lan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 00:04
S362	14675459	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 00:04
S363	150	S361 and S362	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 00:05
S364	14728921	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:28
S365	37	mobile same (asset adj information) same (cache\$1 store storing profil\$3 logs buffer record\$1 matrix history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:29
S366	6	S365 and S364	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:31
S367	849	mobile same (MAC adj address) same (cache\$1 store storing profil\$3 logs buffer record\$1 matrix history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:32
S368	206890	("non-volatile" nonvolatile) same (cache\$1 store storing profil\$3 logs buffer record\$1 matrix history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:33
S369	152	S367 and S368	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:33
S370	15626321	S369 nd S364	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:33
S371	43	S369 and S364	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:33

S372	11	(NIC (wireless near5 adaptor)) same S368 same mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2011/01/24 21:57
S373	2	S372 and S364	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:57
S374	424	(NIC (wireless near5 adaptor)) same \$368	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:57
S375	174	S374 and S364	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:58
S376	29	S375 and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/24 21:58
S377	1	"20090083423".pn. and controller\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 10:25
S378	260337	(power near2 (sav\$3 down off))	US-PGPUB; USPAT; USOCR	OR	ON	2011/01/25 15:31
S379	440449	("non-volatile" nonvolatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:36
S380	11913	S378 same S379	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:36
S381	14729529	@ad<"20031219" @rlad<"20031219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:36
\$382	6425	S380 and S381	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:36

S383	1830	(mobile wireless) and S382	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:38
S384	314335	power.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:40
S385	138	S384 and S383	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:40
S386	31210	MAC adj address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:42
S387	1	S385 and S386	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:43
S388	79535	access adj point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:43
S389	15	S388 and S385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:43
S390	1137	NIC same S379	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:54
S391	125	S390 and S378	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:54
S392	19	S391 and S388	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:54
S393	6	S392 and S381	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:54

S394	6	S393 and MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/25 15:54
S395	1	"20040210844".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 10:11
S396	1	11/967902	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 10:14
S397	1	11/967902 and ambiguous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 10:14
S398	1	11/238754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 11:05
S399	2	"20090168650".pn. "20080101598".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2011/01/26 11:35

## 1/26/2011 3:55:23 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 10742151.wsp